
Internet Service




UCOM Hikari Residence Service Manual




1 Connect to the Internet by wired LAN


<Preparation > You will need to prepare the following:

□ Devices for connecting to the Internet by LAN cable





☐ LAN cable




The LAN cable is used to connect your PC to the LAN modular jack on the wall or the terminal adapter, etc. Prepare a length of cable that suits to your installation environment.

The recommended standards for the cable and devices vary, depending on the speed offered in your building. >> For details, check the Building Website, which is described on the back of this manual.

Be careful about the shapes of the LAN cable and the telephone line connectors!

The shapes of the LAN cable and the telephone line look similar, but the size and the number of pins are different. Be careful, as inserting the wrong cables may break your device.



□ Router

To use a wireless LAN router, refer to "Connect to the Internet by wireless LAN (Wi-Fi)" on page 5.



Choosing a router


We have no specific wired or wireless router to recommend for this building. You can use any router that supports the automatic assignment of an IP address (DHCP connection) (Almost all routers generally support the DHCP connection as standard). If you are using a router, enable the "DHCP Connection."

<Connect> How to set up the cables

* You may have to register as a user before using the service, depending on the building. In such a case, refer to "(3) Register as a user on the Web/Use member services" on page 11 to register as a user for the first time.


Cabling when using a router

The method of setting up a router may vary according to the manufacturer or the model of your router, so please read your router's manual. Use a router that supports the line rate offered by your building. You do not need to set your user ID and password (user authentication by PPPoE) to use the Internet.



Cabling without using a router

You can also connect to the Internet without a router. If you do not have a router, or you are not using a router in order to identify the cause of an Internet connection problem, try the following cabling method.



To use a global IP address for the connection, you need to take sufficient security measures, as using a global IP address will make access to your computer from outside (including illegal access) easier. Installing a router will be an effective security measure. For security reasons, we do not recommend staying constantly connected to the Internet without a router.

It might not be possible to use a global address. This will depend on the building.


You are ready to use the Internet after finishing the cabling.

<Connect> If you cannot connect to the Internet after cabling


Try the following procedure, as it may be necessary to change your settings, depending on the settings of your previous service provider.

When you connect your PC directly to the LAN port

If you previously used a user ID and password for NTT FLET'S, etc., delete any connection settings you no longer use.
 Set to <<Local Area Connection>> or <<Ethernet Connection>> to enable automatic assignment of TCP/IP.
 The procedure is as follows:



Mac OS X v10.6 \sim macOS Catalina



When using a router



- You can use the Internet without setting a user ID and password (user authentication by PPPoE).
- Use your router by setting your device to "Auto assignment" in "Connection method: DHCP"
- · Set IPv6 passthrough to OFF.
- Contact your router manufacturer for any questions about the router's operation.



Report the following when you contact your router manufacturer:

- · Your desire to change Internet lines
- · Your previous Internet line (FLET'S, CATV, etc.)
- Instructions from your new Internet service provider (UCOM Hikari Residence) to change the router connection setting to <<DHCP Connection>>

If you cannot connect to the Internet after configuring the above settings, find and contact the customer support on the Building Website, which is described on the back cover of this manual.

2 Connect to the Internet by wireless LAN (Wi-Fi)

<Preparation> You will need to prepare the following:

□ Devices supporting wireless LAN (PCs, smartphones, Devices supporting wireless LAN (PCs, smartphones, tablets, etc.)







□ Wireless LAN router



Choosing a router

We have no specific wired or wireless router to recommend for this building. You can use any router that supports the automatic assignment of an IP address (DHCP connection) (Almost all routers generally support the DHCP connection as standard). If you are using a router, enable the "DHCP Connection."



For residents of buildings with wall-embedded wireless LAN (Wi-Fi) devices or optical network units (ONU) with Wi-Fi.

We have already provided you with a separate Guide. Refer to the Guide to check the SSID and password, etc.

You do not have to prepare a wireless LAN router.





Wall-embedded wireless LAN device




Optical network units (ONU) with Wi-Fi

<Connect> How to set up the cables

Use the LAN cable to connect the wireless LAN router to the LAN modular jack in your living room. Check the SSID and password (encryption key) and set the terminal connections. * Refer to the following pages for the terminal connection settings.

LAN modular jack



The method of setting up a router may vary according to the manufacturer or the model of your router, so please read your router's manual. Use a router that supports the line rate offered by your building. You do not need to set your user ID and password (user authentication by PPPoE) to use the Internet.





<Connection image>

0

<Connect> Set up terminal connections

After preparing a wireless LAN router, set up connections for terminals (PCs, smartphones, etc.) you wish to connect.

- We cannot support PCs with expired OS support periods. Be sure to use PCs with valid support (within the period of providing security patches) for secure Internet use.
- * The functioning of the WPS setting may vary according to the device. Check the device's manual.
- * Contact the router manufacturer (or PC manufacturer in some cases) if the SSID is not displayed.



Windows 10

[1] Display the desktop and click the wireless Internet access icon on the lower right of the desktop screen.



- [2] The "Network" window will open. Click the SSID shown on the device you are using or in the manual, etc.
- Similar IDs may be assigned to SSIDs by the same manufacturer. Carefully check the SSID to the last digit.
 Contact the router manufacture (or PC manufacturer in some cases) if the SSID is not displayed.

[3] After the indication is highlighted in blue, click [Connect] button displayed.



- [4] The "Enter network security key" field will appear.
- **To enter the password**: Check and enter the "Encryption key (password)" in the blank field and click [Next].
- To set the WPS: Press and hold the "WPS" button at the top of the device until the WPS lamp starts blinking.

 $\ensuremath{\mathbb{W}}$ WPS setup may function differently, depending on the device. Please check your device's manual.

[5] Wait for a message to appear.

>The message after entering a password: "Verifying and connecting" >The message after setting the WPS: "Getting settings from the router"



[6] The connection setting is complete once "Connected" is displayed for the wireless LAN.

Windows 8.1

- [1] Display the desktop and click the wireless Internet access icon on the lower right of the desktop screen.
- [2] The "Network" window will open. Click the SSID shown on the device you are using or in the manual, etc. Click [Connect] button displayed.
- ※ Similar IDs may be assigned to SSIDs by the same manufacturer. Carefully check the SSID to the last digit.※Contact the router manufacture (or PC manufacturer in some cases) if the SSID is not displayed.

- [3] The "Enter network security key" field will appear.
- To enter the password: Check and enter the "Encryption key (password)" in the blank field and click [Next]
- **To set the WPS**: Press and hold the "WPS" button at the top of the device until the WPS lamp starts blinking.
- WPS setup may function differently, depending on the device. Please check your device's manual.
- [4] Wait for a message to appear.

>The connection setting is complete once " Connected" is displayed for the wireless LAN. >The message after setting the WPS: "Getting settings from the router"

- [5] The window to check connections between network devices will open. Select "Yes" to allow access to your PC from other devices via Wi-Fi, or "No" if you have no other devices to connect.
- [6] The connection setting is complete once "Connected" is displayed for the wireless LAN.











macOS Catalina

- [1] Open [System Preferences] from the [Apple menu bar] or [Dock].
- [2] Click [Network] after the [System Preferences] window opens

- [3] Select [Wi-Fi] (See Picture ①) on the left of the opened [Network] window. In the case of "Status: Not Connected," tick the "Display Wi-Fi status in menu bar" checkbox (See Picture 2) on the lower part of the window, and click "Turn Wi-Fi On" (See Picture3) on the upper right of the window.
- % Go to the next step in the case of "Status: Connected."
- [4] Clicking the Up/Down button in the [Network Name] field will open a list of networks available for connection. Click the SSID described on the device you are using or in the manual, etc.
- * Similar IDs may be assigned to SSIDs by the same manufacturer. Carefully check the SSID to the last digit X Contact the router manufacture (or PC manufacturer in some cases) if the SSID is not displayed.
- [5] The password entry window will open. Check and enter the SSID password in the blank field and click [Connect].

[6] The connection setting is complete once "Connected" is displayed for the wireless LAN.













macOS High Sierra / Sierra

[1] Open [System Preferences] from the [Apple menu bar] or [Dock].

[2] Click [Network] after the [System Preferences] window opens.

[3] [elect [Wi-Fi] (See Picture ①) on the left of the opened [Network] window. In the case of "Status: Not Connected," tick the "Display Wi-Fi status in menu bar" checkbox (See Picture ②) on the lower part of the window, and click "Turn Wi-Fi On" (See Picture ③) on the upper right of the window

* Go to the next step in the case of "Status: Connected."

[4] Clicking the Up/Down button in the [Network Name] field will open a list of networks available for connection. Click the SSID described on the device you are using or in the manual, etc.

 Similar IDs may be assigned to SSIDs by the same manufacturer. Carefully check the SSID to the last digit
 Contact the router manufacture (or PC manufacturer in some cases) if the SSID is not displayed.

[5] The password entry window will open. Check and enter the SSID password in the blank field and click [Connect].

[6] The connection setting is complete once "Connected" is displayed for the wireless LAN.













services

Android

[1] Tap [Settings] in the Home window/Drawer window.



[2] The [Settings] window will open. Tap [Wi-Fi].



Wi-Fi

ON

ZISSIDID

- [3] The "Wi-Fi" window will open.After confirming that [Wi-Fi] is available (in green), tap, from the "Select network" field, the SSID described on the device you are using or in the manual, etc.
- ※ Similar IDs may be assigned to SSIDs by the same manufacturer. Carefully check the SSID to the last digit.
- [4] The password entry window will open. Check and enter the SSID password in the blank field, and tap [Connect].



[5] The connection setting is complete after the tapped wireless LAN moves to the top and [Connected] is displayed.





[1] Tap [Settings] in the Home window.



[2] The [Settings] window will open. Tap [Wi-Fi].



- [3] The "Wi-Fi" window will open. After confirming that [Wi-Fi] is available (in green), tap, from the "Select network" field, the SSID described on the device you are using or in the manual, etc.
- ※ Similar IDs may be assigned to SSIDs by the same manufacturer. Carefully check the SSID to the last digit.

ı



[4] The password entry window will open. Check and enter the SSID password in the blank field, and tap [Connect].



[5] The connection setting is complete after the tapped wireless LAN moves to the top and [Connected] is displayed.



Register as a user on the Web/Use member services

Simple registration on the Web. ISP member registration for "UCOM Hikari Residence" (free)

You can use option services (email address and IP phone, etc.) by making member registration. **The web registration is not available for some buildings and minors. Contact the customer

support.



[Guide provided to you] Keep the "UCOM Hikari Residence Service Description and Web Registration Guide" at hand.

Access the "Customer Information Registration Page."

You can access this page by using the QR code or the URL shown below. A yellow popup window will open. Click "OK."

https://tools.ucom.ne.jp/entry/



Customer Information Registration Page



2 STEP 1 Login

Enter the login ID and login password, which are provided in "UCOM Hikari Residence Web Registration Guide," and your email address, then click the [Send Registration Email] button. The "URL for Customer Information Registration" will be emailed to the entered email address.



STEP 2 Check building

Click the URL provided in the email to display the "Check Building" window.* Check if the address is correct and if so, click the "Next" button.



4 STEP 3 Enter Information



Review and agree to the terms of service. Enter the required information and click "Confirm."



5 STEP 4 Check entered information

Check the information entered and click "Register."



6 STEP 5 Registration completed

An email containing "Customer number" and "Customer number password" will be sent to the entered email address.

* It may take several days before you receive the email.

If you have not received the email after one week, contact

the customer support. If you have not yet moved in, the email will be sent to you the day before the planned relocation date.



■ Delivery of UCOM Hikari Residence Registration Certificate ■ "UCOM Hikari Residence Registration Certificate" may be mailed to you, depending on your building contract. In that case, it will be sent to you around 7 to 10 days after the completion of your registration, if you have already moved in, or around the planned relocation date, if you have not yet moved in.

**1 The "Web Registration Guide" is included in the documents to be provided at the time of moving into the building. Contact the UCOM Hikari Residence Support Center (described on the back cover of this manual) if you do not have a copy of the guide.


*2 The "Login ID" and the "Login password" described on the "Web Registration Guide" are different from the "Customer number" and the "Customer number password." They are unique ID numbers designed to simplify building information registration and are not personal contract information for customers.

Using member services

You can log into "My Page" by using the "Customer number" and "Customer number password," which will be issued after the completion of your member registration. You can set your email address, change your registration information and apply for optional services such as security service, etc. on "My Page."







https://mypage.ucom.ne.jp/

What you can do on My Page

You can use the following services on My Page:

Request/cancel optional services

Change your payment method (credit card information)

Review/change contract information

Terminate your UCOM Hikari Residence contract (delete registration)

Optional services guide

Basic service (free):

email address/Web space

* The service may differ, depending on the building.

- Email address ······ one address (mailbox capacity 1 GB)
- Web space when we will will will work with the weak will be a space will be will be will be will be a space capacity 20 MB)

Optional service (paid service):

Additional email addresses/capacities

"Mail Pack" 330 yen/month(tax included)	You can add up to 5 email addresses. One homepage address (Web space capacity of 20 MB) is added for each additional email address.
"Adding mailbox capacity" 330 yen/month(tax included)	You can add mailbox capacity for each email address.
"Adding Web space capacity" 330 yen/month(tax included)	You can add Web space capacity for each homepage address.

Optional service (paid service):

Security option

"Virus Check Service" 198 yen/month(tax included)	In case you are concerned about virus-infected emails, please note that: This service automatically checks if the files attached to emails are infected with any virus before their transmission/reception.
"Ansin (secure) Kids Filter" 330 yen/month(tax included)	This service blocks unwanted websites and protects your children from websites with inappropriate or harmful content.

Optional service (paid service):

UCOM Hikari Remote Support

550 yen/month (tax included)	If you need help operating your PC, our operators offer phone or remote support for setting up emails and taking security measures, etc. for your PC.

<Please Note> You need to register your credit card information to use optional services (paid services). You may not sign up for multiple UCOM Hikari Residence contracts using the same credit card.

4	Б	Δ	a	C
		_ \	1	┣

Q.1	L	cannot	locate	the	LAN	modular	iack	on	the wa	all.
-----	---	--------	--------	-----	-----	---------	------	----	--------	------

A. The LAN modular jack on the wall may be covered.

Q.2 The LAN port is too small to insert the LAN cable.

A. You may be trying insert the LAN cable into a telephone line port. Refer to "Be careful about the shapes of the LAN cable and the telephone line connectors!" on Page 1.

Q.3 I can no longer connect to the Internet.

A.Turn off your PC and, if any, router, wireless LAN or hub, and turn them on again about 3 to 5 minutes later.

*When you turn off the peripheral devices, be sure to turn off your PC at the same time. When you turn them on again, be sure to turn on the devices in order beginning with those located nearest to the LAN modular jack on the wall, while checking that the lamps, etc. are operating normally.

Q.4 I cannot connect some of my devices to the Internet.

A.You cannot connect beyond the defined number of simultaneous connections. Refer to [Number of simultaneous connections] in the "Web Registration Guide" ("A4" paper size) we handed to you separately.

Q.5 I cannot receive emails through my previous Internet service provider.

A.We do no place any special restrictions on sending/receiving emails of other service providers. Check whether your previous Internet service provider allows emails to be sent/received through external connections. (Some service providers may restrict the sending/receiving of emails through external connections.)

*Please note that the UCOM Hikari Residence Support Center cannot answer questions about email services offered by other service providers.

Q.6 How many devices can be connected simultaneously?

A. Refer to the "Web Registration Guide" for the number of simultaneous connections.

Q.7 Can I use a global IP address?

A. You cannot use a global IP address for the Simple type service. but can use one for the other types. (You may have to apply for paid optional services.)

3

೧	$\mathbf{S} \cap \mathbf{S}$	n I u	l gal	Pv67

4 FAQs

A. No, we do not provide IPv6.

Q.9 I cannot find setting items on the screen as shown in this manual.

A. The screen display may vary according to your usage environment. Please contact us by phone.

Q.10 I cannot click where this manual instructs me to "Click."

A. You cannot configure networks in Windows or Mac OS X unless you log in as an administrator. Log in again as an administrator, and click.

Q.11 How long does it take to register customer information?

- **A.** The information cannot be registered immediately.
 - * Already moved in: a few days
 - * Before moving in: based on your planned relocation date

Q.12 Do I have to use the Internet to register as a user?

- **A.** It depends on the building. To check the registration requirements, please refer to the "UCOM Hikari Residence Service Description and Web Registration Guide" we provided to you.
 - * For the IP phone and optional services, you have to register as a user before applying for the services.

Member Support

[Customer support]

For the inquiry form and the phone number for making inquiries, check the UCOM Hikari Residence Building Website.







The Building Website shows [Frequently Asked Questions], which can be accessed 24/7. Please read them, if you have any question about your Internet connection.

[Resident service website] https://ucom-r.ne.jp

Operating environment specifications

Environmental requirements for Internet connection

- ■You can connect by using PCs, tablets and other terminals with Internet functionality.
- Devices and LAN cables other than those described in this manual may be required, depending on your usage environment.
- ■When connecting to the Internet, please do not use any OS with an expired support period, and be sure to upgrade the OS. Connect to the Internet under sufficiently secure communications environments. We ask for your understanding and cooperation to maintain the security of your usage environment to ensure safe use of the Internet.
- #Windows is a registered trademark of Microsoft Corporation in the U.S. and other countries.
- **The other product names are trademarks or registered trademarks of respective companies.
- % Please note that we have abbreviated "TM," "R" and other symbols in this manual.
- *The descriptions in this manual are current as of July 2022. Please note that the service descriptions, etc. are subject to change without prior notice.